



Dell Color Multifunction Printer - E525w



Versatility, value and ease for brilliant everyday performance

Simplify everyday printing and imaging tasks with a compact, 4-in-1 color multifunction printer with essential productivity features that allow you to do more.

- Print wirelessly and easily scan, fax and copy. The convenient automatic document feeder (ADF) enables unattended copying and faxing for multi-page documents.
- Get set up easily using the Dell Printer Easy Installer.
- Simplify printing tasks and maintenance with the Dell Printer Hub².

Easy set-up

Get your Dell printer up and running easily using the Dell Printer Easy Installer¹ and allow flexible connectivity with WiFi¹, USB and Ethernet options.

Comprehensive productivity features

Print crisp text and vivid colors at excellent speeds of up to 18ppm³ (black/color), and quickly scan documents at up to 17/7ipm (black/color).

Enhanced features enable you to do more:

- Copy both sides of an ID card on a single side of paper using the "ID Copy" button.
- Keep sensitive documents private using the Secure Print feature. With this security feature, print jobs are password protected and released using a valid user PIN.
- Rely on your E525w to handle everyday work demands with a duty cycle of up to 30,000 pages per month⁴.

Print on-the-go

Print directly from compatible smartphones, tablets, and other mobile devices with the Dell Document Hub app, available on the App Store, Google Play and the Windows Store. The E525w also supports AirPrint⁵, Google Cloud Print and Mopria, so you can print from virtually anywhere.⁶



One-stop solution to do more

Simplify your printing tasks and maintenance with the Dell Printer Hub². This convenient, one-stop solution features an intuitive interface that integrates printer essentials and cloud connectivity for easy document management and control of your printer.

- 1-click to update printer firmware and software
- 1-click to execute customized scan shortcuts
- 1-click access to the Dell Document Hub cloud access solution, which also features cloud Optical Character Recognition to convert scans into editable, searchable files.

Get automatic alerts when firmware and software updates are available, or when the toner runs low. Conveniently re-order toner via Dell Printer Hub.

Eco-conscious design

Low-melt toner technology means less heating, reduced warm-up times, and faster first-page-out time — all of which contribute to reduced energy consumption. The E525w meets the latest regulatory and environmental standards, including ENERGY STAR[®] qualification⁷, Restriction of Hazardous Substances (RoHS) compliance⁹ and EPEAT Bronze registration⁹. The single drum/fuser unit is designed to last the life of the printer, so you'll have less maintenance.

Comprehensive services

Contact technical support for any printing issues via phone or online during your standard 1-year Limited Hardware Warranty¹⁰, and enjoy 1-year Advanced Exchange¹¹ after Remote Diagnosis Service¹².

Stay covered longer when you choose optional 2-, 3-, 4-, or 5-year extended Limited Hardware Warranty¹⁰. Dedicated support 24/7 is available with Dell ProSupportTM¹³ service options.

[Learn more at Dell.com/printers](https://www.dell.com/printers)

Dell Color Multifunction Printer - E525w

Printer specifications	Printer type	Color multifunction printer (print, copy, scan, fax)	
	Print speed (Mono / Color)³	Simplex (600 x 600 dpi) - Up to 18 ppm mono / Up to 18 ppm color (letter/A4)	
	First page out time from Ready state	As fast as 16 sec (mono) As fast as 22 sec (color)	
	Print resolution	600 x 600 dpi	
	Operation panel	4 Lines 20 Character Graphic Bitmap LCD. 35 Buttons, 10 LEDs	
	Print language		
	Printer driver language	PCL 6, PostScript™ Level 3 Emulation	
	Printer data stream	PCL 6, PostScript™ Level 3 Emulation	
	Fonts	HP PCL® 6 Emulation: 81 scalable fonts, PostScript 3: 81 scalable fonts	
	Processor speed	525 MHz	
	Memory, standard	512 MB RAM	
	Mobile printing support	Dell Document Hub (for Android, iOS and Windows 8 and later), AirPrint®, Google Cloud Print, Mopria-certified	
	Usage rate	Duty cycle	Up to 30,000 pages per month ⁴
Recommended monthly print volume		250 - 700 pages per month	
Scan specifications	Scan type	Flatbed, ADF / Contact Image Sensor (CIS)	
	Scan speed <small>(Single-page document, 600 x 300 dpi)</small>	Up to 17 ipm mono / up to 7 ipm color	
	Scan resolution	1200 x 1200 dpi, up to 4800 x 4800 dpi (software enhanced)	
	Scan depth (Color)	24-bit	
	Scan depth (Mono)	1 bit for lineart and 8 bit for gray scale	
	Scan size (max)	Flatbed : 8.5" (216 mm) x 11.7" (297 mm) ADF: 8.5" (216 mm) x 14" (356 mm)	
	Scan to media (file format)	PDF, TIFF, JPEG	
	Walk-up scan to	SMB (Network folder), FTP (Network server), Email, USB Host, Application	
Copy specifications	Copy speed <small>(Single-page document, 600 x 600 dpi)</small>	Up to 18 cpm mono/ up to 18 cpm color	
	Maximum copies	99	
	Enlarge	25 to 400% (increment: 1%)	
	Copy settings	Auto Exposure, Collate, Multiple-Up (2-in-1 only), Sharpness, Density, ID Copy, Frame Erase	
Fax specifications	Fax transmission speed	Up to 33.6 Kbps	
	Speed dial	Up to 99 entries	
	Memory size	2 MB	
	Fax feature	Transmit: Broadcast, Delay/Schedule, Forward, Fax Forward To Email Receive: Secure, Remote, Polling	
Paper handling	Input sources	Standard: 150-sheet standard tray Maximum: 150 sheets	
	Automated Document Feeder (ADF) Specifications		
	Capacity	15 sheets	
	Media size	Max: 8.5" (215.9mm) x 14" (355.6mm) Min: 5.5" (139.7mm) x 5.5" (139.7mm)	
	Types	Cut paper, Plain paper	
	Output destinations	Standard: 100-sheet bin Maximum: 100 sheets	
	Standard tray		
	Types and weights supported	Plain paper (60 -90gsm), Thicker paper (91 -105gsm); Cover (106-163g/m2); Coated paper (106-163g/m2); Label; Envelope; Recycled Paper	
	Sizes	A4 Short Edge Feed (SEF), B5 SEF, A5 SEF, Letter SEF, Executive SEF, Folio (8.5" x 13") SEF, Legal SEF, Com-10 SEF, Monarch/DL, C5 SEF Custom paper size: Width: 3" to 8.5" (76.2 to 215.9mm), Length: 5" to 14" (127 to 355.6mm)	
	Duplexer	Manual	
	Page layout options	Portrait or Landscape orientation, Multiple copies, Multi-page printing (N-up), Manual duplex printing (only for Windows and Mac Driver), Poster (only for Windows Driver), Booklet printing (only for Windows Driver), Watermarks (only for Windows Driver), Collate, Rotation	
	Printable area	8.19" x 13.69" (207.9mm x 347.6mm)	

Connectivity	Interfaces	USB2.0 High speed supported, 10/100 BASE-T Ethernet, Front USB port
	Wireless	WiFi (b/g/n), WPA2.0 (Personal), WPS 2.0, WiFi Direct
Operating systems	Windows	Microsoft® Windows® 8.1 32bit/64bit Microsoft® Windows® 8 32bit/64bit Microsoft® Windows® 7 32bit/64bit Windows Vista® 32bit/64bit Windows Server 2012 64bit, Windows Server 2012 R2 64bit Windows Server 2008 32bit/64bit, Windows Server 2008 R2 Windows XP 32bit/64bit (Home & Pro) Windows 2003 Server 32bit/64bit
	Macintosh	Apple Mac OS®: 10.6 ~ 10.10
	Others	SUSE Linux Enterprise Desktop 11.3 (32/64 bit) Red Hat Enterprise Linux 6.4 Desktop (32/64bit) Ubuntu 12.04 (32/64 bit)
	Printer dimensions (W x D x H)	16.1" x 15.7" x 13.9" (410mm x 398mm x 353mm)
Physical specifications	Printer weight	36.2 lbs (16.4 kg) (with consumables)
	Shipping dimensions (W x D x H)	22.1" x 21.6" x 20.5" (561mm x 549mm x 520mm)
	Shipping weight	42.8 lbs (19.4kg)
	Operating environment	Temperature: 41°F to 90°F (5°C to 32°C); Relative Humidity: 15% to 85% RH, non-condensing; Altitude: ≤ 10,170 ft (3,100 m)
	Storage (packaged)	Temperature: 32°F to 95°F (0°C to 35°C); Relative Humidity: 15% to 80% RH; Altitude: ≤10,170 ft (3,100 m)
	Acoustics (Pressure - LpAm) / Power - LwAd)¹⁴	Printing - (mono/color) 64.5 dB / 6.75 B; Standby - 3.76 dB / 4.06 B
	Voltage	120 vac model - 100 to 127 vac ± 10 %, 50 ± 3 Hz / 60 ± 3 Hz nominal
Power specifications	Power consumption	Printing mode: 280W Standby mode : 40W Power Saver mode (Sleep) : ≤ 10W Power Saver mode (Deep Sleep) : ≤ 2W
	Average power consumption	7A @ 110V-127V
	Ship-with toner capacity¹⁵	Up to 700 pages (Black) ; up to 700 pages (Cyan, Magenta, Yellow)
Consumables	Toner capacity¹⁵	Up to 2,000 pages (Black); up to 1,400 pages (Cyan Magenta, Yellow)
	Product certifications	Safety: EN 60950-1/IEC 60950-1, CE Mark (EU), NOM (Mexico); SABS/ICASA (South Africa) EMC: EN 55022 (Class B); EN55024; EN61000-3-2 (Class A); EN 61000-3-3; R&TTE Directive (EU); UL 60950-1 / CAN/CSA-C22.2 No. 60950-1-07; ICES-003 (Canada), US CFR Title 47, FCC Part 2 and 15 Class B; FDA/DHHS (21CFR, Chapter 1, Subchapter J); GB4943.1, GB9254, GB17625.1 Others: ROHS Compliant ⁸ , ENERGY STAR ⁷ , WEEE, ErP Lot 4, Lot 6 and Lot 26, REACH, MEL (Mexico), Blue Angel (Germany), EPEAT Bronze ⁹
Supported languages	English, French, German, Italian, Spanish, Danish, Norwegian, Dutch, Swedish	
Printer management	Dell Printer Hub; Dell ColorTrack 1.0, Standard Printer MIB	
Contents in box	Dell Color Multifunction Printer - E525w, Software and Documentation CD, Ship-With Black Cartridge (700 page yield ¹⁵), Ship-With Color Cartridges (700 page yield ¹⁵), Power Cord, USB Cable, RJ11 Cable, Setup Guide	



E525w series
Black Toner Cartridge,
2,000-page yield¹⁵



E525w series
Cyan Toner Cartridge,
1,400-page yield¹⁵



E525w series
Magenta Toner Cartridge,
1,400-page yield¹⁵



E525w series
Yellow Toner Cartridge,
1,400-page yield¹⁵

1. For wireless printing information, please refer to dell.com/support/wireless_printing
2. Supports Windows 7, 8 and later only.
3. Actual print speed may vary with use. Measured in accordance with ISO/IEC 24734 methodology.
4. Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This number can be used to compare potential workload capabilities of different Dell printers and multifunction printers.
5. AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.
6. The printer and the mobile device must be connected on the same network.
7. For details on energy efficiency of ENERGY STAR® qualified products, refer to: www.energystar.gov.
8. Meets the requirements of the EU RoHS Directive 2011/65/EU on the Restriction of the use of certain Hazardous Substances (RoHS).
9. EPEAT registration varies by country. See www.epeat.net for registration status by country.
10. For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
11. Replacement system or replacement part will be dispatched, if necessary, following phone-based troubleshooting, in advance of receipt of returned defective part or system. Replacements may be refurbished. Defective unit must be returned. Availability varies. Other conditions apply.
12. Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of unit and multiple or extended sessions. If issue is covered by Limited Hardware Warranty and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
13. Availability and terms of Dell Services vary by region. For more information, visit Dell.com/servicecontracts/global.
14. Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Acoustics - Declared noise emission values of computer and business equipment.
15. Black and color toner yield based on testing in accordance with ISO/IEC 19752. Yields vary with usage and environmental conditions.

©2015 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Specifications are subject to change without notice. Dell cannot be responsible for errors and omissions in typography or photography.

